ELSEVIER

Biomembranes

Vol. 1324, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Adamo, H.P., Rega, A.F., Filoteo, A.G., Verma, A.K. and Penniston, J.T.
Replacement of Val^{674} by Pro increases the sensitivity of the plasma membrane Ca^{2+} pump to inhibition by Mg^{2+} (1324) 85
Aebersold, R., see Johnson, J.E. (1324) 273
Allison, R.D., see McDonald, K.K. (1324) 133
Angelini, G.D., see Suleiman, M.-S. (1324) 223
Arora, A. and Gupta, C.M.
Glycerol backbone conformation in phosphatidylcholines is primarily determined by the intramolecular stacking of the vicinally arranged acyl chains (1324) 47
Arora, A. and Gupta, C.M.
Novel thermal phase transition behavior of phosphatidylcholine analogs containing 1,2,4-butanetriol as their backbone (1324) 61

Bailey, A.L., Monck, M.A. and Cullis, P.R.
pH-Induced destabilization of lipid bilayers by a lipopeptide derived from influenza hemagglutinin (1324) 232
Bailey, P.D., see Lister, N. (1324) 245
Barisas, B.G., see Meiklejohn, B.I. (1324) 320
Batrukova, M.A. and Rubtsov, A.M.
Histidine-containing dipeptides as endogenous regulators of the activity of sarcoplasmic reticulum Ca-release channels (1324) 142
Block, E.R., see McDonald, K.K. (1324) 133
Boyd, C.A.R., see Lister, N. (1324) 245
Brand, J.G., see Feigin, A.M. (1324) 102
Brandsch, C., see Brandsch, M. (1324) 251
Brandsch, M., Brandsch, C., Ganapathy, M.E., Chew, C.S., Ganapathy, V. and Leibach, F.H.
Influence of proton and essential histidyl residues on the transport kinetics of the H^+/peptide cotransport systems in intestine (PEPT 1) and kidney (PEPT 2) (1324) 251
Brisson, A., see Ringler, P. (1324) 37
Bronk, J.R., see Lister, N. (1324) 245
Bryan, A.J., see Suleiman, M.-S. (1324) 223
Byrn, S.R., see Kim, C. (1324) 171
Byus, C.V., see Fukumoto, G.H. (1324) 215

Caputo, M., see Suleiman, M.-S. (1324) 223
Chew, C.S., see Brandsch, M. (1324) 251
Cho, N.M., see Kim, C. (1324) 171
Collier, I.D., see Lister, N. (1324) 245
Cornell, R.B., see Johnson, J.E. (1324) 273
Cui, D., see Wang, Q. (1324) 69
Cullis, P.R., see Bailey, A.L. (1324) 232

De Kruijff, B., see Rietveld, A.G. (1324) 263
Dihmis, W.C., see Suleiman, M.-S. (1324) 223

El-Jastimi, R. and Lafleur, M.
Structural characterization of free and membrane-bound nisin by infrared spectroscopy (1324) 151
Erbacher, P., Roche, A.C., Monsigny, M. and Midoux, P.
The reduction of the positive charges of polylysine by partial gluconoylation increases the transfection efficiency of polylysine/DNA complexes (1324) 27

Falk, G., see Sjöström, I. (1324) 182
Fang, Y. and Yang, J.
The growth of bilayer defects and the induction of interdigitated domains in the lipid-loss process of supported phospholipid bilayers (1324) 309
Feigin, A.M., Schagina, L.V., Takemoto, J.Y., Teeter, J.H. and Brand, J.G.
The effect of sterols on the sensitivity of membranes to the channel-forming antifungal antibiotic, syringomycin E (1324) 102
Filoteo, A.G., see Adamo, H.P. (1324) 85
Freudinger, R., see Schwerdt, G. (1324) 191
Fukumoto, G.H. and Byus, C.V.
Putrescine export in *Xenopus laevis* oocytes occurs against a concentration gradient: evidence for a non-diffusional export process (1324) 215

Ganapathy, M.E., Prasad, P.D., Mackenzie, B., Ganapathy, V. and Leibach, F.H.
Interaction of anionic cephalosporins with the intestinal and renal peptide transporters PEPT 1 and PEPT 2 (1324) 296
Ganapathy, M.E., see Brandsch, M. (1324) 251
Ganapathy, V., see Brandsch, M. (1324) 251
Ganapathy, V., see Ganapathy, M.E. (1324) 296
García, D.A. and Perillo, M.A.
Localization of flunitrazepam in artificial membranes. A spectrophotometric study about the effect the polarity of the medium exerts on flunitrazepam acid-base equilibrium (1324) 76
Gekle, M., see Schwerdt, G. (1324) 191
Gerasimov, O.V., Schwan, A. and Thompson, D.H.
Acid-catalyzed plasmenylcholine hydrolysis and its effect on bilayer permeability: a quantitative study (1324) 200
Giusti, L., see Mazzoni, M.R. (1324) 159
Griffith, O.W., see McDonald, K.K. (1324) 133
Gröndahl, H., see Sjöström, I. (1324) 182
Guérin, M., see Roucou, X. (1324) 120
Gulik, A., see Ravily, V. (1324) 1
Gupta, C.M., see Arora, A. (1324) 47
Gupta, C.M., see Arora, A. (1324) 61

Handlogten, M.E., see McDonald, K.K. (1324) 133
Harris, H.W., see Jo, I. (1324) 91
Hutter, J.A., see Suleiman, M.-S. (1324) 223

Jo, I., Nielsen, S. and Harris, H.W.
The 17 kDa band identified by multiple anti-aquaporin 2 antisera in rat kidney medulla is a histone (1324) 91

Johnson, J.E., Aebersold, R. and Cornell, R.B.
An amphipathic α-helix is the principle membrane-embedded region of CTP:phosphocholine cytidylyltransferase. Identification of the 3-(trifluoromethyl)-3-(*m*-[^{125}I]iodophenyl)diazirine photolabeled domain (1324) 273

Kang, Y., Ziegler, R., Van Antwerpen, R. and Law, J.H.
Characterization of the solubilized oocyte membrane receptor for insecticyanin, a biliprotein of the hawkmoth, *Manduca sexta* (1324) 285
Kasahara, M., see Kasahara, T. (1324) 111
Kasahara, T. and Kasahara, M.
Characterization of rat Glut4 glucose transporter expressed in the yeast *Saccharomyces cerevisiae*: comparison with Glut1 glucose transporter (1324) 111
Kessler, P., see Ringler, P. (1324) 37
Kilberg, M.S., see McDonald, K.K. (1324) 133
Kim, C., MacKellar, W.C., Cho, N.M., Byrn, S.R. and Morré, D.J.
Impermeant antitumor sulfonylurea conjugates that inhibit plasma membrane NADH oxidase and growth of HeLa cells in culture. Identification of binding proteins from sera of cancer patients (1324) 171
Kronvall, G., see Sjöström, I. (1324) 182

Lafleur, M., see El-Jastimi, R. (1324) 151
Law, J.H., see Kang, Y. (1324) 285
Leibach, F.H., see Brandsch, M. (1324) 251
Leibach, F.H., see Ganapathy, M.E. (1324) 296
Lin, Q., see Wang, Q. (1324) 69
Lister, N., Bailey, P.D., Collier, I.D., Boyd, C.A.R. and Bronk, J.R.
The influence of luminal pH on transport of neutral and charged dipeptides by rat small intestine, in vitro (1324) 245
Lucacchini, A., see Mazzoni, M.R. (1324) 159

MacKellar, W.C., see Kim, C. (1324) 171
Mackenzie, B., see Ganapathy, M.E. (1324) 296
Manon, S., see Roucou, X. (1324) 120
Mazzoni, M.R., Giusti, L., Rossi, E., Taddei, S. and Lucacchini, A.
Role of cysteine residues of rat A_{2a} adenosine receptors in agonist binding (1324) 159
McDonald, K.K., Rouhani, R., Handlogten, M.E., Block, E.R., Griffith, O.W., Allison, R.D. and Kilberg, M.S.
Inhibition of endothelial cell amino acid transport System y^+ by arginine analogs that inhibit nitric oxide synthase (1324) 133
Meiklejohn, B.I., Rahman, N.A., Roess, D.A. and Barisas, B.G.
5-Iodonaphthyl-1-azide labeling of plasma membrane proteins adjacent to specific sites via energy transfer (1324) 320
Ménez, A., see Ringler, P. (1324) 37
Midoux, P., see Erbacher, P. (1324) 27
Mildenberger, S., see Schwerdt, G. (1324) 191
Moffatt, A.C., see Suleiman, M.-S. (1324) 223
Monck, M.A., see Bailey, A.L. (1324) 232
Monsigny, M., see Erbacher, P. (1324) 27
Morré, D.J., see Kim, C. (1324) 171

Nielsen, S., see Jo, I. (1324) 91

Penniston, J.T., see Adamo, H.P. (1324) 85
Perillo, M.A., see García, D.A. (1324) 76
Prasad, P.D., see Ganapathy, M.E. (1324) 296

Quamme, G.A.
Chlorpromazine activates chloride currents in *Xenopus* oocytes (1324) 18

Rahman, N.A., see Meiklejohn, B.I. (1324) 320
Ravily, V., Santaella, C., Vierling, P. and Gulik, A.
Phase behavior of fluorocarbon di-*O*-alkyl-glycerophosphocholines and glycerophosphoethanolamines and long-term shelf stability of fluorinated liposomes (1324) 1
Rega, A.F., see Adamo, H.P. (1324) 85
Rietveld, A.G., Verkleij, A.J. and De Kruijff, B.
A freeze-fracture study of the membrane morphology of phosphatidylethanolamine-deficient *Escherichia coli* cells (1324) 263
Ringler, P., Kessler, P., Ménez, A. and Brisson, A.
Purification of the nicotinic acetylcholine receptor protein by affinity chromatography using a regioselectively modified and reversibly immobilized α-toxin from *Naja nigricollis* (1324) 37
Roche, A.C., see Erbacher, P. (1324) 27
Roess, D.A., see Meiklejohn, B.I. (1324) 320
Rossi, E., see Mazzoni, M.R. (1324) 159
Roucou, X., Manon, S. and Guérin, M.
Conditions allowing different states of ATP- and GDP-induced permeability in mitochondria from different strains of *Saccharomyces cerevisiae* (1324) 120
Rouhani, R., see McDonald, K.K. (1324) 133
Rubtsov, A.M., see Batrukova, M.A. (1324) 142

Santaella, C., see Ravily, V. (1324) 1
Schagina, L.V., see Feigin, A.M. (1324) 102
Schwan, A., see Gerasimov, O.V. (1324) 200
Schwerdt, G., Gekle, M., Freudinger, R., Mildenberger, S. and Silbernagl, S.
Apical-to-basolateral transepithelial transport of Ochratoxin A by two subtypes of Madin-Darby canine kidney cells (1324) 191
Silbernagl, S., see Schwerdt, G. (1324) 191
Sjöström, I., Gröndahl, H., Falk, G., Kronvall, G. and Ullberg, M.
Purification and characterisation of a plasminogen-binding protein from *Haemophilus influenzae*. Sequence determination reveals identity with aspartase (1324) 182
Suleiman, M.-S., Moffatt, A.C., Dihmis, W.C., Caputo, M., Hutter, J.A., Angelini, G.D. and Bryan, A.J.
Effect of ischaemia and reperfusion on the intracellular concentration of taurine and glutamine in the hearts of patients undergoing coronary artery surgery (1324) 223

Taddei, S., see Mazzoni, M.R. (1324) 159
Takemoto, J.Y., see Feigin, A.M. (1324) 102
Teeter, J.H., see Feigin, A.M. (1324) 102
Thompson, D.H., see Gerasimov, O.V. (1324) 200

Ullberg, M., see Sjöström, I. (1324) 182

Van Antwerpen, R., see Kang, Y. (1324) 285
Verkleij, A.J., see Rietveld, A.G. (1324) 263
Verma, A.K., see Adamo, H.P. (1324) 85
Vierling, P., see Ravily, V. (1324) 1

Wang, Q., Cui, D. and Lin, Q.
Fluorescence studies on the interaction of a synthetic signal peptide and its analog with liposomes (1324) 69

Yang, J., see Fang, Y. (1324) 309

Ziegler, R., see Kang, Y. (1324) 285